



## MaxPlus Vaccine Coolers -with- Maxify™ Technology



ECONOMICAL



EFFICIENT



SUSTAINABLE



USA-MADE

Product Page:



# Qualified, reusable coolers with temperature monitoring compatibility.

Can be pre-equipped with our temperature monitoring device.

The MaxPlus Vaccine Cooler was designed with Maxify™ Technology to maintain vaccines and other temperature-sensitive biologics at precise temperatures. The MaxPlus Vaccine Cooler presents a turn-key solution, with integrated temperature monitoring. This cooler provides unmatched thermal performance, total value, and shipping cost efficiencies.

- Optimized for mass immunizations, curbside clinics, and transport between facilities.
- No electricity or ice required.
- Streamline operations with up to 12 hours of validation.
- Use our temperature monitoring device for comprehensive, audit-ready chain of custody and chain of compliance reports.

## What is Maxify™ Technology?

**MAXIFY™ proprietary materials technologies** are revolutionizing the shipping of temperature-sensitive biologics, enabling our leading-edge MAXQ solutions to provide unmatched shipping and cost efficiencies, thermal performance, and TOTAL VALUE.

The V12X12 and AV12X12 can be fitted with our rolling carrier for easier transport.



Sales@packmaxq.com | 405-466-5629  
Order at: [www.PackMaxQ.com](http://www.PackMaxQ.com)

## Maximize Savings!

MaxPlus coolers combine unprecedented thermal performance and convenience to decrease lost vaccine product and increase savings.



SKU #	Capacity*	Temperature	Performance*
AV18X12, V18X12	10.5L	2-8°C	12 hrs
AV12X12, V12X12	8L	2-8°C	12 hrs

\* Up to



### V18X12 and V12X12 Systems Include:

- Three BPOP gel packs
- Three S6 gel packs
- Rolling cart (V18X12 only, optional for V12X12)



### AV18X12 and AV12X12 Systems Include:

- Three BPOP gel packs
- Three S6 gel packs
- One glycol probe
- One controller
- One card reader
- One replacement battery for the glycol probe sensor
- One Bluetooth adaptor
- One SD card reader
- One charging cord for the main controller
- Rolling cart (AV18X12 only, optional for AV12X12)